

BAYDEE | 贝迪®

TECHNICAL MANUAL OF HENAN BAYDEE PROFILE

贝迪型材技术资料手册

Henan Beidi Plastic Industry Co.,Ltd.

ADD: HENAN·CHINA TEL: 0086-372-6270170 FAX: 0086-372-8150099
Http://www.baydeegroup.com Http://hnbeidi.en.alibaba.com



BAYDEE WEBSITE



BAYDEE WECHAT

HENAN OF CHINA

BAYDEE | 贝迪®

Build your dream with BEIDI profile



Cooperative Partner



CONTENTS



01	INTRODUCTION	03-04
02	CULTURE	05-06
03	EQUIPMENT	07
04	QUALIFICATION	08-12
05	STRATEGY	13-14
06	PRODUCTION	15-48
07	PRODUCT COLOR	49-50



A STORY OF BEIDI

细节与实力的代言



Henan Beidi Plastic Industry Co., Ltd is headquartered in Xun County, Hebi City, and the branch is located in the industrial park of this county, where the transportation is convenient and the geographical position superior. Covering an area of 800,000 square meters, BAYDEE Enterprise has more than 1200 staffs, and with production capacity 120,000 tons per year, BAYDEE has been the largest professional production-oriented enterprises including PVC-U profiles R&D, Production and Sales in the central China.

BAYDEE Enterprise has the advanced production lines and inspection equipment. Our raw materials adopt the international advanced Eco-friendly stabilizers, American DuPont titanium dioxide and Swiss CIBA UV convert agent. About the manufacture processing, we establish a long-term technical exchange and cooperate with Germany PVC-U experts. During the production process we strictly adhere to the window and door profile national standard GB/T8814-2017 and ISO9001 Quality Management System.

The BAYDEE Enterprise's products consist of 60/65/70 casement series and 60/80/88/92/112 sliding series which are available in white, full color with wood film, double-color extrusion(ASA), full color, and aluminum-plastic composite series products. BAYDEE Enterprise has passed the ISO9001 Quality Management System Certification and ISO14001 International Environmental Management System Certification in 2008. Since 2011 Beidi Enterprise keeps advertising on CCTV. So far the company has exported the products to many countries of the world, like India, Middle East, Africa, South America, North America and so on.

The Enterprise will continue to follow on the path of "development, innovation, practical solutions, hard work and dedication". BAYDEE's business philosophy is one of "listening to the market demands, focusing on the customer, and using talent and integrity to support development". We will continue to utilize scientific management, full development, rational utilization of resources and continuously improve satisfaction of our customers' demand as the main goal of improving peoples' working and living environment.



Thinking is decisive

teamwork creates wealth

► **BAYDEE purpose**

Provide customers with satisfactory products, realize corporate value and create social wealth

► **BAYDEE spirit**

Development, innovation, pragmatism, hard work, dedication

► **Management philosophy**

People-oriented, give full play to the enthusiasm and creativity of employees

► **Business philosophy**

Guided by market demand, customer-centric, talent-based, and development based on innovation

► **Quality policy**

Provide customers with satisfactory products and satisfactory services

► **Corporate values**

Continue to create greater wealth for the company, for employees, and for the society

INTELLIGENT TECHNOLOGY & ADVANCED EQUIPMENT

High-quality goods, derived from advanced technology and equipment



In order to ensure product quality, all of our products and technical research originate from customer needs.

Before sale, every BAYDEE product needs to pass strict inspection to ensure high-quality product quality.

BAYDEE introduces a complete set of production equipment of specific international level, adopts a computer control system in the production process, strictly controls the process parameters, and has a high degree of automation.

Advanced equipment and technology ensure the energy-saving and environmentally-friendly product quality of Brady profiles, and escort people to create a comfortable and healthy living space.

CERTIFICATIONS 企业资质证书

多年来，我们重视产品的创新，秉承“责任、品质、卓越”的坚定信念，从研发到生产，均由资深的产品设计师开发，每年根据市场新的变动趋势，推出符合市场需求的产品。





国家化学建筑材料测试中心
NATIONAL TEST CENTER
OF POLYMER AND BUILDING MATERIALS



中国认可
国际互认
检测
TESTING
CNAS L1049

180002240585

National Test Center of Polymer & Building Materials

Address: No. 14, Beisanhuandonglu, Chaoyang District, Beijing, China Post Code: 100013
Tel: +86(0)1064208747, +86(0)1064200694, +86(0)1064224642, +86(0)1059202479
Fax: +86(0)1059202784, +86(0)1084290301 Web site: www.plastictest.net
No. 2020(C)05031

CUSTOMER: HENAN BEIDI PLASTIC INDUSTRY Co. LTD

SAMPLES FOR TESTING

Name: ASA/PVC co-extrusion color profiles

Manufacturer: HENAN BEIDI PLASTIC INDUSTRY CO. LTD

Specification: 65 casement window frame

Brand: BAYDEE

Appearance: Gray/White


DATE OF RECEIPT: 2020-04-07

ISSUE DATE: 2020-05-12




THIS REPORT COMPRISES 3 PAGES.

DIRECTOR: 胡孝义 **CHECK:** 武鹏

Page 1 of 3



国家化学建筑材料测试中心
NATIONAL TEST CENTER
OF POLYMER AND BUILDING MATERIALS



中国认可
国际互认
检测
TESTING
CNAS L1049

180002240585

National Test Center of Polymer & Building Materials

Address: No. 14, Beisanhuandonglu, Chaoyang District, Beijing, China Post Code: 100013
Tel: +86(0)1064208747, +86(0)1064200694, +86(0)1064224642, +86(0)1059202479
Fax: +86(0)1059202784, +86(0)1084290301 Web site: www.plastictest.net

TESTING RESULTS


No. 2020(C)05031

No.	Test Items	Requirements	Results
1	Appearance	The color shall be uniform; the surfaces shall be smooth, flat and free from pitting, impurities, cavities and other surface defects; The edges of the profiles shall be clean and burr-free.	Pass
2	External dimension, mm	Depth tolerance Overall width tolerance	± 0.3 ± 0.5 $+0.08$ $+0.04$
3	Wall thickness of main profiles (Class B), mm	Sight surface Non-sight visible surface	≥ 2.5 ≥ 2.2 2.80 2.47
4	Deviation from straightness, mm	≤ 1	0.18
5	Linear weight of the main profiles, %	≥ 95	99.2
6	Heat reversion of main sight surface, %	± 2.0	1.69
7	Difference in heat reversion between two sight surfaces, %	≤ 0.4	0.17




(CONTINUED ON THE NEXT PAGE)

Test: 孙泉 祁林 苏肖群

Page 2 of 3



国家化学建筑材料测试中心
NATIONAL TEST CENTER
OF POLYMER AND BUILDING MATERIALS



中国认可
国际互认
检测
TESTING
CNAS L1049

180002240585

National Test Center of Polymer & Building Materials

Address: No. 14, Beisanhuandonglu, Chaoyang District, Beijing, China Post Code: 100013
Tel: +86(0)1064208747, +86(0)1064200694, +86(0)1064224642, +86(0)1059202479
Fax: +86(0)1059202784, +86(0)1084290301 Web site: www.plastictest.net

TESTING RESULTS

No. 2020(C)05031

(CONTINUED FROM THE PREVIOUS PAGE)

No.	Test Items	Requirements	Results
8	Resistance to impact of main profiles by falling mass (-10℃)	≤ 1 (Type II)	0
9	Behavior after heating at 150℃	No air bubble, crack or spot. Delamination of the coextruded layer should not appear.	Pass
10	Vicat softening temperature(B ₅₀), ℃	≥ 75	79.6
11	Flexural modulus in elasticity, MPa	≥ 2200	2590
12	Tensile impact strength, kJ/m ²	≥ 600	668
13	Charpy notched impact strength, kJ/m ²	≥ 20	28.8 (C)
14	Strength of welded corners, MPa	Mean failure stress Minimum failure stress	≥ 35 ≥ 30 60.7 50.2
15	Environmental stress crack resistance	Coextruded layer should not be delaminated or peeled from profiles	Pass
16	Thickness of coextruded layer, mm	≥ 0.2	0.23

Conclusion: The samples of the product referred to this report have been tested in accordance with the standard QB/T 2976-2008 "Unplasticized polyvinyl chloride (PVC-U) color profiles for doors and windows". The items above meet the requirements of the standard.

Note: The following information is provided by customer: linear weight:1310g/m; L:35332mm², e:43.0mm, overall width:73mm, depth:65mm.

Test: 孙泉 祁林 苏肖群

Page 3 of 3

009 www.baydeegroup.com

www.baydeegroup.com 010



国家化学建筑材料测试中心
NATIONAL TEST CENTER
OF POLYMER AND BUILDING MATERIALS



180002240585





中国认可
国际互认
检测
TESTING
CNAS L1049

National Test Center of Polymer & Building Materials

Address: No. 14, Beisanhuandonglu, Chaoyang District, Beijing, China Post Code: 100013
Tel: +86(0)1064208747, +86(0)1064200694, +86(0)1064224642, +86(0)1059202479
Fax: +86(0)1059202784, +86(0)1084290301 Web site: www.plastictest.net

No. 2019(C)07026

CUSTOMER: Henan Beidi Plastic Industry CO., LTD

SAMPLES FOR TESTING

Name: PVC-U Profiles for Windows and Doors
Manufacturer: Henan Beidi Plastic Industry CO., LTD
Specification: 88 sliding window frame
Brand: Beidi
Appearance: White

DATE OF RECEIPT: 2019-05-30
ISSUE DATE: 2019-07-11
THIS REPORT COMPRISES 3 PAGES.

DIRECTOR: 胡孝义
CHECK: 杨少华



测试专用章

Page 1 of 3



国家化学建筑材料测试中心
NATIONAL TEST CENTER
OF POLYMER AND BUILDING MATERIALS



180002240585





中国认可
国际互认
检测
TESTING
CNAS L1049

National Test Center of Polymer & Building Materials

Address: No. 14, Beisanhuandonglu, Chaoyang District, Beijing, China Post Code: 100013
Tel: +86(0)1064208747, +86(0)1064200694, +86(0)1064224642, +86(0)1059202479
Fax: +86(0)1059202784, +86(0)1084290301 Web site: www.plastictest.net

TESTING RESULTS


No. 2019(C)07026

No.	Test Items	Requirements	Results
1	Appearance	The color shall be uniform. The surfaces shall be smooth, flat and free from pitting, impurities, cavities and other surface defects.	Pass
2	Dimensions Tolerance, mm	Thickness Overall width	±0.3 +0.17 ±0.5 +0.16
3	Wall thickness of main profile (Class B), mm	The sight surface The non-sight surface	≥2.5 2.53 ≥2.0 2.21
4	Deviation from straightness of main profiles, mm	≤1	0.37
5	The mass per meter length, %	≥95	105
6	Heat reversion, %	±2.0	1.53
7	The difference in heat reversion between these sight surfaces, %	≤0.4	0.24
8	Behavior after heating at 150℃	No air bubble, crack, stain	Pass


(CONTINUED ON THE NEXT PAGE)

Test: 丁树岩 孙泉 邢进


Page 2 of 3




国家化学建筑材料测试中心
NATIONAL TEST CENTER
OF POLYMER AND BUILDING MATERIALS



180002240585





中国认可
国际互认
检测
TESTING
CNAS L1049

National Test Center of Polymer & Building Materials

Address: No. 14, Beisanhuandonglu, Chaoyang District, Beijing, China Post Code: 100013
Tel: +86(0)1064208747, +86(0)1064200694, +86(0)1064224642, +86(0)1059202479
Fax: +86(0)1059202784, +86(0)1084290301 Web site: www.plastictest.net

TESTING RESULTS

No. 2019(C)07026


(CONTINUED FROM THE PREVIOUS PAGE)

No.	Test Items	Requirements	Results
9	Resistance to impact by falling weight (-10℃), pcs	≤1(type II)	0
10	Density (method A), kg/m ³	≤1530	1523
11	Vicat softening temperature (B ₅₀), °C	≥78	79.9
12	Tensile stress at yield, MPa	≥37	37.6
13	Tensile stain at break, %	≥100	107
14	Flexural modulus in elasticity, MPa	≥2200	2.99×10 ³
15	Weldability, MPa	Mean value Minimum value	≥35 ≥30 70.9 60.0
16	Short term welding coefficient, %	Un-decorative surface	≥0.8 0.84

CONCLUSIONS: The samples of the product referred to in this report have been tested according to the standard GB/T 8814-2017 "Unplasticized polyvinyl chloride(PVC-U) profiles for the doors and windows". The tested items meet the requirements of this standard. The wall thickness of main profile meets the requirement of class B; the resistance to impact by falling weight is of grade II.
Note: The following information is provided by customer: linear weight: 470kg/m, l:231594mm', e:27mm, overall width:52mm, depth:88mm.

Test: 丁树岩 孙泉 邢进

Page 3 of 3




DO BEST TO WIN THE MARKET


Over the years, Bedi has absorbed the world's top PVC profile R & D technology, carefully studied the climate characteristics of different regions in China, and with its strong strength and good performance Reputation, strict quality management and high-quality after-sales service have won the unanimous recognition of the majority of users.




BD 60 in-swing casement window technical drawing




BD 60 out-swing casement window technical drawing




60 casement series(thickness 2.0mm)



NAME: 60 frame D2
CODE: 60PKD2
WEIGHT(KG/M): 0.95
LENGTH: 5.8-6.0m
PCS/BAG: 6
THICKNESS: 2.0
a b l




NAME: 60 in-swing window sash C
CODE: 60NKCS
WEIGHT(KG/M): 0.985
LENGTH: 5.8-6.0m
PCS/BAG: 6
THICKNESS: 2.0
a b l




NAME: 60 mullion C
CODE: 60ZTC
WEIGHT(KG/M): 1.0
LENGTH: 5.8-6.0m
PCS/BAG: 6
THICKNESS: 2.0
a b l


60 casement series(thickness 2.2mm)




NAME: 60 frame D
CODE: 60PKD
WEIGHT(KG/M): 0.985
LENGTH: 5.8-6.0m
PCS/BAG: 6
THICKNESS: 2.2
a b c d e f h l




NAME: 60 in-swing window sash A
CODE: 60NKCSA
WEIGHT(KG/M): 1.15
LENGTH: 5.8-6.0m
PCS/BAG: 6
THICKNESS: 2.2
a c e h l




NAME: 60 out-swing window sash 2
CODE: 60WKCS2
WEIGHT(KG/M): 1.15
LENGTH: 5.8-6.0m
PCS/BAG: 6
THICKNESS: 2.2
a c e h l




NAME: 60 frame W
CODE: 60KW
WEIGHT(KG/M): 1.01
LENGTH: 5.8-6.0m
PCS/BAG: 6
THICKNESS: 2.2
a l




NAME: 60 mullion W
CODE: 60ZTW
WEIGHT(KG/M): 1.1
LENGTH: 5.8-6.0m
PCS/BAG: 6
THICKNESS: 2.2
a l




NAME: 60 mullion D
CODE: 60ZTD
WEIGHT(KG/M): 1.07
LENGTH: 5.8-6.0m
PCS/BAG: 6
THICKNESS: 2.2
a b c d e h l




NAME: 60 large frame
CODE: 60DK
WEIGHT(KG/M): 1.167
LENGTH: 5.8-6.0m
PCS/BAG: 6
THICKNESS: 2.3
e l



NAME: 60 large mullion
CODE: 60DZT
WEIGHT(KG/M): 1.35
LENGTH: 5.8-6.0m
PCS/BAG: 6
THICKNESS: 2.3
e l




NAME: 60 out-swing door sash 2
CODE: 60WKMS2
WEIGHT(KG/M): 1.45
LENGTH: 5.8-6.0m
PCS/BAG: 4
THICKNESS: 2.2
a l




NAME: 60 in-swing door sash 2
CODE: 60NKMS2
WEIGHT(KG/M): 1.584
LENGTH: 5.8-6.0m
PCS/BAG: 4
THICKNESS: 2.2
a l

Mold function options: **a** large surface co-extrusion **b** small surface co-extrusion **c** large surface co-extrusion with lines **d** small surface co-extrusion with lines **e** large surface co-extrusion with lines + small surface co-extrusion **f** small surface co-extrusion with lines + large surface co-extrusion **g** double surface co-extrusion with lines **h** same color double-sides co-extrusion **l** double-color double-sides co-extrusion (The above drawing functions can be done as : embossing, slimy lines, multi-lines, normal lines, matte. Details as the provided samples.)


BD 60 out-swing casement window technical drawing



60 casement series(thickness 2.5mm)




60 casement series(thickness 2.8mm)




Mold function options: a large surface co-extrusion b small surface co-extrusion c large surface co-extrusion with lines d small surface co-extrusion with lines e large surface co-extrusion with lines + small surface co-extrusion f small surface co-extrusion with lines + large surface co-extrusion g double surface co-extrusion with lines h same color double-sides co-extrusion i double-color double-sides co-extrusion (The above drawing functions can be done as : embossing, slimsy lines, multi-lines, normal lines, matte. Details as the provided samples.)

Mold function options: a large surface co-extrusion b small surface co-extrusion c large surface co-extrusion with lines d small surface co-extrusion with lines e large surface co-extrusion with lines + small surface co-extrusion f small surface co-extrusion with lines + large surface co-extrusion g double surface co-extrusion with lines h same color double-sides co-extrusion i double-color double-sides co-extrusion (The above drawing functions can be done as : embossing, slimsy lines, multi-lines, normal lines, matte. Details as the provided samples.)


60 casement triple series




NAME: 60 triple panel frame
CODE: 60SMFK
WEIGHT(KG/M): 1.135(No gasket)
LENGTH: 5.8-6.0m
PCS/BAG: 6
THICKNESS: 2. 1
a




NAME: 60 triple panel small sash
CODE: 60SMFXS
WEIGHT(KG/M): 1.125(No gasket)
LENGTH: 5.8-6.0m
PCS/BAG: 6
THICKNESS: 2. 1
a




NAME: 60 triple panel mullion
CODE: 60SMFT
WEIGHT(KG/M): 1.285(No gasket)
LENGTH: 5.8-6.0m
PCS/BAG: 6
THICKNESS: 2. 1
a




NAME: 60 triple panel glazing bead 17
CODE: 60SMF17YX
WEIGHT(KG/M): 0.25
LENGTH: 5.8-6.0m
PCS/BAG: 20
THICKNESS:
Glass Thickness: 22±0.5mm




NAME: 60 triple panel glazing bead
CODE: 60SMFDY
WEIGHT(KG/M): 0.3
LENGTH: 5.8-6.0m
PCS/BAG: 20
THICKNESS:
Glass Thickness: 4.5±0.5mm




NAME: 60 triple glazing bead
CODE: 60SMFYX
WEIGHT(KG/M): 0.27
LENGTH: 5.8-6.0m
PCS/BAG: 20
THICKNESS:



NAME: 60 triple panel support board
CODE: 60SMFZB
WEIGHT(KG/M): 0.17
LENGTH: 5.8-6.0m
PCS/BAG: 20
THICKNESS:




NAME: 60 lap joint
CODE: 60DFZT
WEIGHT(KG/M): 1.035
LENGTH: 5.8-6.0m
PCS/BAG: 6
THICKNESS: 2. 5
a i




NAME: Float mullion cover
CODE: FZTDG
WEIGHT(KG/M):
LENGTH: 5.8-6.0m
PCS/BAG:
THICKNESS:


60 casement series glazing bead




NAME: 60 single glazing bead A
CODE: 60DYA
WEIGHT(KG/M): 0.3
LENGTH: 5.8-6.0m
PCS/BAG: 20
THICKNESS: 1.6
a
Glass Thickness: 4.5±0.5mm




NAME: 60 single glazing bead Z
CODE: 60DYZ
WEIGHT(KG/M): 0.317
LENGTH: 5.8-6.0m
PCS/BAG: 20
THICKNESS: 1.6
a
Glass Thickness: 4.5±0.5mm




NAME: 30 glazing bead
CODE: 30YX
WEIGHT(KG/M): 0.25
LENGTH: 5.8-6.0m
PCS/BAG: 20
THICKNESS: 1.6
a
Glass Thickness: 9.5±0.5mm




NAME: 60 double glazing bead B
CODE: 60SYB
WEIGHT(KG/M): 0.22
LENGTH: 5.8-6.0m
PCS/BAG: 30
THICKNESS:
a
Glass Thickness: 20±0.5mm




NAME: 60 double glazing bead A
CODE: 60SYA
WEIGHT(KG/M): 0.21
LENGTH: 5.8-6.0m
PCS/BAG: 20
THICKNESS:
a
Glass Thickness: 15.5±0.5mm




NAME: 23 glazing bead
CODE: 23YX
WEIGHT(KG/M): 0.234
LENGTH: 5.8-6.0m
PCS/BAG: 20
THICKNESS:
a
Glass Thickness: 17±0.5mm



NAME: 16 glazing bead
CODE: 16YX
WEIGHT(KG/M): 0.22
LENGTH: 5.8-6.0m
PCS/BAG: 30
THICKNESS: 1.8
a
Glass Thickness: 24±0.5mm




NAME: 18 glazing bead
CODE: 18YX
WEIGHT(KG/M): 0.22
LENGTH: 5.8-6.0m
PCS/BAG: 30
THICKNESS:
a
Glass Thickness: 22±0.5mm




NAME: 17 glazing bead
CODE: 17YX
WEIGHT(KG/M): 0.209
LENGTH: 5.8-6.0m
PCS/BAG: 30
THICKNESS:
a
Glass Thickness: 23±0.5mm

Mold function options: a large surface co-extrusion b small surface co-extrusion c large surface co-extrusion with lines d small surface co-extrusion with lines e large surface co-extrusion with lines + small surface co-extrusion f small surface co-extrusion with lines + large surface co-extrusion g double surface co-extrusion with lines h same color double-sides co-extrusion i double-color double-sides co-extrusion (The above drawing functions can be done as : embossing, slimy lines, multi-lines, normal lines, matte. Details as the provided samples.)


60 casement series auxiliary profiles




NAME: 60 bay corner adaptor 2
CODE: 60ZJ2
WEIGHT(KG/M): 0.7
LENGTH: 5.8-6.0m
PCS/BAG: 4
THICKNESS: 1. 8
a




NAME: 60 flat board 1
CODE: 60PB1
WEIGHT(KG/M): 0.235
LENGTH: 5.8-6.0m
PCS/BAG: 20
THICKNESS:
a b c d i




NAME: 60 bay corner adaptor 1
CODE: 60ZJ1
WEIGHT(KG/M): 0.71
LENGTH: 5.8-6.0m
PCS/BAG: 4
THICKNESS: 1. 8
a




NAME: 60/135° bay corner adaptor
CODE: 60/135° ZJ
WEIGHT(KG/M): 0.734
LENGTH: 5.8-6.0m
PCS/BAG: 4
THICKNESS: 2.0
a




NAME: 60 switch frame 2
CODE: 60ZHK2 (No gasket)
WEIGHT(KG/M): 0.575
LENGTH: 5.8-6.0m
PCS/BAG: 6
THICKNESS: 2.5
a c




NAME: 60 bay corner adaptor 3
CODE: 60ZJ3
WEIGHT(KG/M): 0.75
LENGTH: 5.8-6.0m
PCS/BAG: 4
THICKNESS: 2. 2
c e h i




NAME: 60 tube adaptor 2
CODE: 60PG2
WEIGHT(KG/M): 0.59
LENGTH: 5.8-6.0m
PCS/BAG: 6
THICKNESS: 2. 5
a c e i




NAME: 60 any angle bay corner adaptor
CODE: 60RYZJ
WEIGHT(KG/M): 0.5
LENGTH: 5.8-6.0m
PCS/BAG: 8
THICKNESS:
a




NAME: 60 round pipe
CODE: 60YG
WEIGHT(KG/M): 0.683
LENGTH: 5.8-6.0m
PCS/BAG: 4
THICKNESS: 1.8
a



NAME: Casement mesh screen
CODE: PKSS
WEIGHT(KG/M): 0.534
KG/PIECE: 3.204
PCS/BAG: 10
THICKNESS: 2.0




NAME: 61 Cornice
CODE: 61DB
WEIGHT(KG/M): 0.36
KG/PIECE: 2.16
PCS/BAG: 6
THICKNESS: 2.0




NAME: Casement fix screen sash
CODE: PKGDSS
WEIGHT(KG/M): 0.27
KG/PIECE: 1.6
PCS/BAG: 20
THICKNESS: 1.8

Mold function options: a large surface co-extrusion b small surface co-extrusion c large surface co-extrusion with lines d small surface co-extrusion with lines e large surface co-extrusion with lines + small surface co-extrusion f small surface co-extrusion with lines + large surface co-extrusion g double surface co-extrusion with lines h same color double-sides co-extrusion i double-color double-sides co-extrusion (The above drawing functions can be done as : embossing, slimy lines, multi-lines, normal lines, matte. Details as the provided samples.)


BD 65 in-swing casement window technical drawing




BD 65 out-swing casement (triple sealing) window technical drawing



65 casement series(thickness 2.5mm)



65 casement series(thickness 2.8mm)



Mold function options: ① large surface co-extrusion ② small surface co-extrusion ③ large surface co-extrusion with lines ④ small surface co-extrusion with lines ⑤ large surface co-extrusion with lines + small surface co-extrusion ⑥ small surface co-extrusion with lines + large surface co-extrusion ⑦ double surface co-extrusion with lines ⑧ same color double-sides co-extrusion ⑨ double-color double-sides co-extrusion (The above drawing functions can be done as : embossing, slimy lines, multi-lines, normal lines, matte. Details as the provided samples.)

65 casement series glazing bead & auxiliary profiles

NAME: 65 double panel glazing bead 2
CODE: 65SY2
WEIGHT(KG/M): 0.25
LENGTH: 5.8-6.0m
PCS/BAG: 20
THICKNESS:
a

Glass Thickness: 22±0.5mm

NAME: 65 double panel glazing bead 3
CODE: 65SY3
WEIGHT(KG/M): 0.25
LENGTH: 5.8-6.0m
PCS/BAG: 20
THICKNESS: 1.8
a

Glass Thickness: 25±0.5mm

NAME: 65 triple panel glazing bead
CODE: 65SBYT
WEIGHT(KG/M): 0.24
LENGTH: 5.8-6.0m
PCS/BAG: 30
THICKNESS:
a

Glass Thickness: 33±0.5mm

NAME: 65 double panel glazing bead S2
CODE: 65SYS2
WEIGHT(KG/M): 0.258
LENGTH: 5.8-6.0m
PCS/BAG: 20
THICKNESS:
a

Glass Thickness: 23±0.5mm

NAME: 65 triple panel glazing bead S2
CODE: 65SYS2
WEIGHT(KG/M): 0.225
LENGTH: 5.8-6.0m
PCS/BAG: 30
THICKNESS:
a

Glass Thickness: 33±0.5mm

NAME: 65 double panel glazing bead
CODE: 65SBYT
WEIGHT(KG/M): 0.31
LENGTH: 5.8-6.0m
PCS/BAG: 20
THICKNESS:
a

Glass Thickness: 19±0.5mm

NAME: 65 triple panel glazing bead S
CODE: 65SYS
WEIGHT(KG/M): 0.225
LENGTH: 5.8-6.0m
PCS/BAG: 30
THICKNESS:
a

Glass Thickness: 39±0.5mm



NAME: 65 right angle bay corner adaptor
CODE: 65ZZJ
WEIGHT(KG/M): 0.9
LENGTH: 5.8-6.0m
PCS/BAG: 4
THICKNESS: 2.0
a

NAME: 65 flat board
CODE: 65PB
WEIGHT(KG/M): 0.22
LENGTH: 5.8-6.0m
PCS/BAG: 20
THICKNESS:
a a a a 1


Mold function options: a large surface co-extrusion b small surface co-extrusion c large surface co-extrusion with lines d small surface co-extrusion with lines e large surface co-extrusion with lines + small surface co-extrusion f small surface co-extrusion with lines + large surface co-extrusion g double surface co-extrusion with lines h same color double-sides co-extrusion i double-color double-sides co-extrusion (The above drawing functions can be done as : embossing, slimsy lines, multi-lines, normal lines, matte. Details as the provided samples.)

Mold function options: a large surface co-extrusion b small surface co-extrusion c large surface co-extrusion with lines d small surface co-extrusion with lines e large surface co-extrusion with lines + small surface co-extrusion f small surface co-extrusion with lines + large surface co-extrusion g double surface co-extrusion with lines h same color double-sides co-extrusion i double-color double-sides co-extrusion (The above drawing functions can be done as : embossing, slimsy lines, multi-lines, normal lines, matte. Details as the provided samples.)


BD 70 in-swing casement (triple sealing)
window technical drawing




70 casement series




NAME: 70 triple pane frame
CODE: 70SMFK (No gasket)
WEIGHT(KG/M): 1.545
LENGTH: 5.8-6.0m
PCS/BAG: 4
THICKNESS: 2.8
②①




NAME: 70 triple pane sash
CODE: 70SMFS (No gasket)
WEIGHT(KG/M): 1.575
LENGTH: 5.8-6.0m
PCS/BAG: 4
THICKNESS: 2.8
②①




NAME: 70 triple pane mullion
CODE: 70SMFT (No gasket)
WEIGHT(KG/M): 1.705
LENGTH: 5.8-6.0m
PCS/BAG: 4
THICKNESS: 2.8
②①




NAME: 70 triple pane frame S
CODE: 70SMFKS (No gasket)
WEIGHT(KG/M): 1.37
LENGTH: 5.8-6.0m
PCS/BAG: 4
THICKNESS: 2.5
②②②②①




NAME: 70 triple pane sash S
CODE: 70SMFSS (No gasket)
WEIGHT(KG/M): 1.42
LENGTH: 5.8-6.0m
PCS/BAG: 4
THICKNESS: 2.5
②②②②①




NAME: 70 triple pane mullion S
CODE: 70SMFTS (No gasket)
WEIGHT(KG/M): 1.51
LENGTH: 5.8-6.0m
PCS/BAG: 4
THICKNESS: 2.5
②②②②①




NAME: 70 glazing bead
CODE: 70YX
WEIGHT(KG/M): 0.267
LENGTH: 5.8-6.0m
PCS/BAG: 20
THICKNESS: ②
Glass Thickness: 32±0.5mm



NAME: 70 glazing bead 2
CODE: 70YX2
WEIGHT(KG/M): 0.235
LENGTH: 5.8-6.0m
PCS/BAG: 20
THICKNESS: ②
Glass Thickness: 36±0.5mm




NAME: 70 flat board
CODE: 70PB
WEIGHT(KG/M): 0.285
LENGTH: 5.8-6.0m
PCS/BAG: 20
THICKNESS: ②①




NAME: 70 bay corner adaptor
CODE: 70ZJ
WEIGHT(KG/M): 0.9
LENGTH: 5.8-6.0m
PCS/BAG: 4
THICKNESS: 2.0
②②①

Mold function options: ② large surface co-extrusion ① small surface co-extrusion ③ large surface co-extrusion with lines ④ small surface co-extrusion with lines ⑤ large surface co-extrusion with lines + small surface co-extrusion ⑥ small surface co-extrusion with lines + large surface co-extrusion ⑦ double surface co-extrusion with lines ⑧ same color double-sides co-extrusion ⑨ double-color double-sides co-extrusion (The above drawing functions can be done as : embossing, slimsy lines, multi-lines, normal lines, matte. Details as the provided samples.)

BD 80 casement door technical drawing




80 casement series




Mold function options: a large surface co-extrusion b small surface co-extrusion c large surface co-extrusion with lines d small surface co-extrusion with lines e large surface co-extrusion with lines + small surface co-extrusion f small surface co-extrusion with lines + large surface co-extrusion g double surface co-extrusion with lines h same color double-sides co-extrusion i double-color double-sides co-extrusion (The above drawing functions can be done as : embossing, slimsy lines, multi-lines, normal lines, matte. Details as the provided samples.)


BD 80 sliding split type window technical drawing




80 sliding series(thickness 2.0mm)




NAME: 80 sliding frame H4
CODE: TL80KH4
WEIGHT(KG/M): 1.22
LENGTH: 5.8-6.0m
PCS/BAG: 6
THICKNESS: 2.0
a




NAME: 80 sliding frame A
CODE: TL80KA
WEIGHT(KG/M): 1.135
LENGTH: 5.8-6.0m
PCS/BAG: 6
THICKNESS: 1.9
a




NAME: 80 sliding frame B1
CODE: TL80KB1
WEIGHT(KG/M): 1.1
LENGTH: 5.8-6.0m
PCS/BAG: 6
THICKNESS: 1.9
a




NAME: 80 big sliding sash B
CODE: 80TDSB
WEIGHT(KG/M): 0.87
LENGTH: 5.8-6.0m
PCS/BAG: 8
THICKNESS: 2.0
a




NAME: 80 sliding sash H
CODE: 80TSLH
WEIGHT(KG/M): 0.75
LENGTH: 5.8-6.0m
PCS/BAG: 8
THICKNESS: 2.0
a




NAME: 60 double sliding frame B
CODE: 60LGKB
WEIGHT(KG/M): 0.817
LENGTH: 5.8-6.0m
PCS/BAG: 6
THICKNESS: 1.8
a



NAME: 80 fixed frame D
CODE: GD80KD
WEIGHT(KG/M): 0.82
LENGTH: 5.8-6.0m
PCS/BAG: 8
THICKNESS: 1.9
a




NAME: 80 fixed frame E2
CODE: GD80KE2
WEIGHT(KG/M): 0.87
LENGTH: 5.8-6.0m
PCS/BAG: 6
THICKNESS: 1.9
a




NAME: 80 fixed frame mullion H1
CODE: GD80KTH1
WEIGHT(KG/M): 0.92
LENGTH: 5.8-6.0m
PCS/BAG: 6
THICKNESS: 1.8
a


80 sliding series(thickness 2.2mm)




NAME: 80 sliding frame D2
CODE: TL80KD2
WEIGHT(KG/M): 1.27
LENGTH: 5.8-6.0m
PCS/BAG: 6
THICKNESS: 2.2
a




NAME: 80 sliding frame H3
CODE: TL80KH3
WEIGHT(KG/M): 1.25
LENGTH: 5.8-6.0m
PCS/BAG: 6
THICKNESS: 2.2
a




NAME: 80 sliding frame B2
CODE: TL80KB2
WEIGHT(KG/M): 1.17
LENGTH: 5.8-6.0m
PCS/BAG: 6
THICKNESS: 2.2
a




NAME: 80 fixed frame H3
CODE: GD80KH3
WEIGHT(KG/M): 1.0
LENGTH: 5.8-6.0m
PCS/BAG: 6
THICKNESS: 2.2
a




NAME: 80 fixed frame A2
CODE: GD80KA2
WEIGHT(KG/M): 0.885
LENGTH: 5.8-6.0m
PCS/BAG: 8
THICKNESS: 2.2
a



NAME: 80 fixed frame mullion H2
CODE: GD80KTH2
WEIGHT(KG/M): 1.12
LENGTH: 5.8-6.0m
PCS/BAG: 6
THICKNESS: 2.2
a




NAME: 80 fixed frame mullion A2
CODE: GD80KA2
WEIGHT(KG/M): 0.985
LENGTH: 5.8-6.0m
PCS/BAG: 8
THICKNESS: 2.2
a




NAME: 80 sliding sash D
CODE: 80TSLD
WEIGHT(KG/M): 0.785
LENGTH: 5.8-6.0m
PCS/BAG: 8
THICKNESS: 2.3
a

Mold function options: a large surface co-extrusion b small surface co-extrusion c large surface co-extrusion with lines d small surface co-extrusion with lines e large surface co-extrusion with lines + small surface co-extrusion f small surface co-extrusion with lines + large surface co-extrusion g double surface co-extrusion with lines h same color double-sides co-extrusion i double-color double-sides co-extrusion (The above drawing functions can be done as : embossing, slimy lines, multi-lines, normal lines, matte. Details as the provided samples.)


80 sliding series(thickness 2.5mm)




NAME: 80 sliding frame H2
CODE: TL80KH2
WEIGHT(KG/M): 1.385
LENGTH: 5.8-6.0m
PCS/BAG: 6
THICKNESS: 2.5
a



NAME: 80 sliding frame D1
CODE: TL80KD1
WEIGHT(KG/M): 1.37
LENGTH: 5.8-6.0m
PCS/BAG: 6
THICKNESS: 2.5
a c




NAME: 80 fixed frame H2
CODE: GD80KH2
WEIGHT(KG/M): 1.085
LENGTH: 5.8-6.0m
PCS/BAG: 6
THICKNESS: 2.5
a




NAME: 80 big sliding sash A
CODE: 80TLDSA
WEIGHT(KG/M): 0.92
LENGTH: 5.8-6.0m
PCS/BAG: 8
THICKNESS: 2.5
a

80 sliding series glazing bead




Glass Thickness: 4.5±0.5mm


NAME: 80 glazing bead B
CODE: 80DYB
WEIGHT(KG/M): 0.208
LENGTH: 5.8-6.0m
PCS/BAG: 30
THICKNESS:
a



NAME: 80 double glazing bead B
CODE: 80SYB
WEIGHT(KG/M): 0.13
LENGTH: 5.8-6.0m
PCS/BAG: 50
THICKNESS:
a




NAME: 80 double glazing bead B2
CODE: 80SYB2
WEIGHT(KG/M): 0.137
LENGTH: 5.8-6.0m
PCS/BAG: 50
THICKNESS: 1.8
a




NAME: 80 double glazing bead C
CODE: 80SYC
WEIGHT(KG/M): 0.15
LENGTH: 5.8-6.0m
PCS/BAG: 50
THICKNESS:
a

Mold function options: a large surface co-extrusion b small surface co-extrusion c large surface co-extrusion with lines d small surface co-extrusion with lines e large surface co-extrusion with lines + small surface co-extrusion f small surface co-extrusion with lines + large surface co-extrusion g double surface co-extrusion with lines h same color double-sides co-extrusion i double-color double-sides co-extrusion (The above drawing functions can be done as : embossing, slimy lines, multi-lines, normal lines, matte. Details as the provided samples.)


80 sliding series auxiliary profiles




NAME: 80 flat board 1
CODE: 80PB1
WEIGHT(KG/M): 0.2
LENGTH: 5.8-6.0m
PCS/BAG: 15
THICKNESS:
a e i




NAME: 80 bay corner adaptor 1
CODE: 80ZJ1
WEIGHT(KG/M): 0.78
LENGTH: 5.8-6.0m
PCS/BAG: 4
THICKNESS: 1.6
a




NAME: 80 tube adaptor
CODE: 80PG
WEIGHT(KG/M): 0.6
LENGTH: 5.8-6.0m
PCS/BAG: 6
THICKNESS: 1.8
a c e h i




NAME: 80 reinforcing tube adaptor 2
CODE: 80JQPG2
WEIGHT(KG/M): 0.85
LENGTH: 5.8-6.0m
PCS/BAG: 4
THICKNESS: 2.0
a c




NAME: 80 any angle bay corner adaptor
CODE: 80RYZJ
WEIGHT(KG/M): 0.533
LENGTH: 5.8-6.0m
PCS/BAG: 8
THICKNESS:
a




NAME: 80 sliding sash cover
CODE: 80FG
WEIGHT(KG/M): 0.17
LENGTH: 5.8-6.0m
PCS/BAG: 30
THICKNESS:
a b




NAME: Screen sash A2
CODE: 52SS2
WEIGHT(KG/M): 0.483
LENGTH: 5.8-6.0m
PCS/BAG: 15
THICKNESS: 1.7
a




NAME: Screen sash B
CODE: 42SS
WEIGHT(KG/M): 0.383
LENGTH: 5.8-6.0m
PCS/BAG: 15
THICKNESS: 1.5
a




NAME: Screen sash Interlock
CODE: SSGM
WEIGHT(KG/M): 0.18
LENGTH: 5.8-6.0m
PCS/BAG: 30
THICKNESS: 1.5




NAME: Screen sash mullion
CODE: SSZT
WEIGHT(KG/M): 0.345
LENGTH: 5.8-6.0m
PCS/BAG: 15
THICKNESS: 1.4



NAME: Sliding screen sash frame
CODE: STSK
WEIGHT(KG/M): 0.65
LENGTH: 5.8-6.0m
PCS/BAG: 8
THICKNESS: 1.8
a




NAME: 80 interlock
CODE: 80GM
WEIGHT(KG/M): 0.242
LENGTH: 5.8-6.0m
PCS/BAG: 20
THICKNESS:
a e




NAME: 80 sash mullion
CODE: 80SZT
WEIGHT(KG/M): 0.62
LENGTH: 5.8-6.0m
PCS/BAG: 8
THICKNESS: 1.6
a

Mold function options: a large surface co-extrusion b small surface co-extrusion c large surface co-extrusion with lines d small surface co-extrusion with lines e large surface co-extrusion with lines + small surface co-extrusion f small surface co-extrusion with lines + large surface co-extrusion g double surface co-extrusion with lines h same color double-sides co-extrusion i double-color double-sides co-extrusion (The above drawing functions can be done as : embossing, slimy lines, multi-lines, normal lines, matte. Details as the provided samples.)


BD 88 sliding split type window technical drawing



88 sliding series(thickness 2.0mm)




88 sliding series(thickness 2.2mm)




Mold function options: ① large surface co-extrusion ② small surface co-extrusion ③ large surface co-extrusion with lines ④ small surface co-extrusion with lines ⑤ large surface co-extrusion with lines + small surface co-extrusion ⑥ small surface co-extrusion with lines + large surface co-extrusion ⑦ double surface co-extrusion with lines ⑧ same color double-sides co-extrusion ⑨ double-color double-sides co-extrusion (The above drawing functions can be done as : embossing, slimsy lines, multi-lines, normal lines, matte. Details as the provided samples.)


88 sliding series(thickness 2.5mm)




NAME: 88 sliding frame B3
CODE: TL88KB3
WEIGHT(KG/M): 1.48
LENGTH: 5.8-6.0m
PCS/BAG: 6
THICKNESS: 2.5
a c c c i




NAME: 88 sliding frame H
CODE: TL88KH
WEIGHT(KG/M): 1.47
LENGTH: 5.8-6.0m
PCS/BAG: 6
THICKNESS: 2.5
a c c c i




NAME: 88 sliding sash H2
CODE: 88TLSH2
WEIGHT(KG/M): 0.975
LENGTH: 5.8-6.0m
PCS/BAG: 8
THICKNESS: 2.5
a c c c i



NAME: 88 sliding sash H
CODE: 88TLSH
WEIGHT(KG/M): 1.05
LENGTH: 5.8-6.0m
PCS/BAG: 8
THICKNESS: 2.5
a c c c i




NAME: 88 fixed frame H
CODE: 88GDKH
WEIGHT(KG/M): 1.135
LENGTH: 5.8-6.0m
PCS/BAG: 6
THICKNESS: 2.5
a c c c i




NAME: 88 fixed frame mullion H
CODE: 88GDKTH
WEIGHT(KG/M): 1.235
LENGTH: 5.8-6.0m
PCS/BAG: 6
THICKNESS: 2.5
a c c c i

88 sliding series glazing bead




Glass Thickness: 15±0.5mm

NAME: 88 double glazing bead A
CODE: 88SYA
WEIGHT(KG/M): 0.18
LENGTH: 5.8-6.0m
PCS/BAG: 30
THICKNESS: a




Glass Thickness: 18±0.5mm

NAME: 88 double glazing bead B
CODE: 88SYB
WEIGHT(KG/M): 0.167
LENGTH: 5.8-6.0m
PCS/BAG: 30
THICKNESS: a



Glass Thickness: 20±0.5mm

NAME: 88 double glazing bead C
CODE: 88SYC
WEIGHT(KG/M): 0.15
LENGTH: 5.8-6.0m
PCS/BAG: 30
THICKNESS: a




Glass Thickness: 4.5±0.5mm


NAME: 88 glazing bead A
CODE: 88DYA
WEIGHT(KG/M): 0.25
LENGTH: 5.8-6.0m
PCS/BAG: 20
THICKNESS: a

Mold function options: a large surface co-extrusion b small surface co-extrusion c large surface co-extrusion with lines d small surface co-extrusion with lines e large surface co-extrusion with lines + small surface co-extrusion f small surface co-extrusion with lines + large surface co-extrusion g double surface co-extrusion with lines h same color double-sides co-extrusion i double-color double-sides co-extrusion (The above drawing functions can be done as : embossing, slimy lines, multi-lines, normal lines, matte. Details as the provided samples.)


88 sliding series auxiliary profiles




NAME: 88 right angle bay corner adaptor
CODE: 88ZJ
WEIGHT(KG/M): 0.967
LENGTH: 5.8-6.0m
PCS/BAG: 4
THICKNESS: 1.8
a




NAME: 88 flat board 1
CODE: 88PB1
WEIGHT(KG/M): 0.25
LENGTH: 5.8-6.0m
PCS/BAG: 15
THICKNESS: a c i




NAME: 88 reinforcing tube adaptor
CODE: 88JQPG
WEIGHT(KG/M): 0.9
LENGTH: 5.8-6.0m
PCS/BAG: 4
THICKNESS: 2.0
a c




NAME: 88 any angle bay corner adaptor
CODE: 88RYZJ
WEIGHT(KG/M): 0.60
LENGTH: 5.8-6.0m
PCS/BAG: 8
THICKNESS: 1.5
a




NAME: 88 tube adaptor
CODE: 88PG
WEIGHT(KG/M): 0.735
LENGTH: 5.8-6.0m
PCS/BAG: 6
THICKNESS: 1.8
a c c c h i




NAME: 88/135° bay corner adaptor
CODE: 88/135° ZJ
WEIGHT(KG/M): 0.967
LENGTH: 5.8-6.0m
PCS/BAG: 4
THICKNESS: 1.8
a




NAME: Screen sash A2
CODE: 52SS2
WEIGHT(KG/M): 0.483
LENGTH: 5.8-6.0m
PCS/BAG: 15
THICKNESS: 1.7
a




NAME: 88 sliding sash cover
CODE: 88FG
WEIGHT(KG/M): 0.21
LENGTH: 5.8-6.0m
PCS/BAG: 30
THICKNESS: a b




NAME: 42 interlock
CODE: 42GM
WEIGHT(KG/M): 0.285
LENGTH: 5.8-6.0m
PCS/BAG: 20
THICKNESS: a c i




NAME: Screen sash Interlock
CODE: SSGM
WEIGHT(KG/M): 0.18
LENGTH: 5.8-6.0m
PCS/BAG: 30
THICKNESS: 1.5




NAME: Screen sash B
CODE: 42SS
WEIGHT(KG/M): 0.383
LENGTH: 5.8-6.0m
PCS/BAG: 15
THICKNESS: 1.5
a



NAME: 66 Screen door sash
CODE: SSA3
WEIGHT(KG/M): 0.59
LENGTH: 5.8-6.0m
PCS/BAG: 9
THICKNESS: 1.7




NAME: 42 sash mullion 2
CODE: 42SZT2
WEIGHT(KG/M): 0.84
LENGTH: 5.8-6.0m
PCS/BAG: 8
THICKNESS: 2.2
a c c i



















NAME: Screen sash mullion
CODE: SSZT
WEIGHT(KG/M): 0.35
LENGTH: 5.8-6.0m
PCS/BAG: 15
THICKNESS: 1.4

Mold function options: a large surface co-extrusion b small surface co-extrusion c large surface co-extrusion with lines d small surface co-extrusion with lines e large surface co-extrusion with lines + small surface co-extrusion f small surface co-extrusion with lines + large surface co-extrusion g double surface co-extrusion with lines h same color double-sides co-extrusion i double-color double-sides co-extrusion (The above drawing functions can be done as : embossing, slimy lines, multi-lines, normal lines, matte. Details as the provided samples.)

BD 92 sliding window technical drawing




92 sliding window series


 <p>NAME: 9225 sliding frame CODE: TL9225K WEIGHT(KG/M): 1.585 LENGTH: 5.8-6.0m PCS/BAG: 6 THICKNESS: 2.5 a1</p>	 <p>NAME: 92 sliding frame 2 CODE: TL92K2 WEIGHT(KG/M): 1.4 LENGTH: 5.8-6.0m PCS/BAG: 6 THICKNESS: 2.2 a1</p>	 <p>NAME: 92 sliding frame 1 CODE: TL92K1 WEIGHT(KG/M): 1.37 LENGTH: 5.8-6.0m PCS/BAG: 6 THICKNESS: 2.0 a1</p>
 <p>NAME: 9225 fixed frame CODE: GD9225K WEIGHT(KG/M): 1.2 LENGTH: 5.8-6.0m PCS/BAG: 6 THICKNESS: 2.5 a1</p>	 <p>NAME: 92 fixed frame 2 CODE: GD92K2 WEIGHT(KG/M): 1.05 LENGTH: 5.8-6.0m PCS/BAG: 6 THICKNESS: 2.2 a1</p>	 <p>NAME: 92 fixed frame 1 CODE: GD92K1 WEIGHT(KG/M): 0.983 LENGTH: 5.8-6.0m PCS/BAG: 6 THICKNESS: 2.0 a1</p>
 <p>NAME: 9225 fixed frame mullion CODE: GD9225KT WEIGHT(KG/M): 1.32 LENGTH: 5.8-6.0m PCS/BAG: 6 THICKNESS: 2.5 a1</p>	 <p>NAME: 92 fixed frame mullion 2 CODE: GD92KT2 WEIGHT(KG/M): 1.135 LENGTH: 5.8-6.0m PCS/BAG: 6 THICKNESS: 2.2 a1</p>	 <p>NAME: 92 fixed frame mullion 1 CODE: GD92KT1 WEIGHT(KG/M): 1.12 LENGTH: 5.8-6.0m PCS/BAG: 6 THICKNESS: 2.0 a1</p>
 <p>NAME: 9225 sliding sash CODE: 9225TLS WEIGHT(KG/M): 1.09 LENGTH: 5.8-6.0m PCS/BAG: 8 THICKNESS: 2.5 a1</p>	 <p>NAME: 92 sliding sash 2 CODE: 92TLS2 WEIGHT(KG/M): 0.95 LENGTH: 5.8-6.0m PCS/BAG: 8 THICKNESS: 2.2 a1</p>	 <p>NAME: 92 sliding sash 1 CODE: 92TLS1 WEIGHT(KG/M): 0.9 LENGTH: 5.8-6.0m PCS/BAG: 8 THICKNESS: 2.0 a1</p>
 <p>NAME: 92 sash mullion CODE: 92SZT WEIGHT(KG/M): 0.883 LENGTH: 5.8-6.0m PCS/BAG: 6 THICKNESS: 2.2 a1</p>	 <p>NAME: 92 sliding sash cover CODE: 92FG WEIGHT(KG/M): 0.217 LENGTH: 5.8-6.0m PCS/BAG: 30 THICKNESS: 2.2 a1</p>	 <p>NAME: 92 interlock CODE: 92GM WEIGHT(KG/M): 0.375 LENGTH: 5.8-6.0m PCS/BAG: 20 THICKNESS: 2.2 a1</p>
 <p>NAME: 92 single glazing bead CODE: 92DY WEIGHT(KG/M): 0.225 LENGTH: 5.8-6.0m PCS/BAG: 30 THICKNESS: 1.6 a1</p>		

Mold function options: a1 large surface co-extrusion b1 small surface co-extrusion c1 large surface co-extrusion with lines d1 small surface co-extrusion with lines e1 large surface co-extrusion with lines + small surface co-extrusion f1 small surface co-extrusion with lines + large surface co-extrusion g1 double surface co-extrusion with lines h1 same color double-sides co-extrusion i1 double-color double-sides co-extrusion (The above drawing functions can be done as : embossing, slimsy lines, multi-lines, normal lines, matte. Details as the provided samples.)


BD 60 double track sliding door technical drawing




60 sliding door series



60 sliding door series




60 sliding door series glazing bead




Mold function options: ② large surface co-extrusion ③ small surface co-extrusion ④ large surface co-extrusion with lines ⑤ small surface co-extrusion with lines ⑥ large surface co-extrusion with lines + small surface co-extrusion ⑦ small surface co-extrusion with lines + large surface co-extrusion ⑧ double surface co-extrusion with lines ⑨ same color double-sides co-extrusion ⑩ double-color double-sides co-extrusion (The above drawing functions can be done as : embossing, slimy lines, multi-lines, normal lines, matte. Details as the provided samples.)

BD 60 blind window technical drawing




60 louver series




Mold function options: ① large surface co-extrusion ② small surface co-extrusion ③ large surface co-extrusion with lines ④ small surface co-extrusion with lines ⑤ large surface co-extrusion with lines + small surface co-extrusion ⑥ small surface co-extrusion with lines + large surface co-extrusion ⑦ double surface co-extrusion with lines ⑧ same color double-sides co-extrusion ⑨ double-color double-sides co-extrusion (The above drawing functions can be done as : embossing, slimsy lines, multi-lines, normal lines, matte. Details as the provided samples.)


American 60 sliding window technical drawing




American 60 sliding series




NAME: 60 casement / sliding frame
CODE: 60PKTLK
WEIGHT(KG/M): 1.1
LENGTH: 5.8-6.0m
PCS/BAG: 6
THICKNESS: 2.3



NAME: 60 casement / sliding mullion
CODE: 60PKTLZT
WEIGHT(KG/M): 0.64
LENGTH: 5.8-6.0m
PCS/BAG: 6
THICKNESS: 2.3




NAME: 80 sliding sash H
CODE: 80TLSH
WEIGHT(KG/M): 0.784
LENGTH: 5.8-6.0m
PCS/BAG: 8
THICKNESS: 2.0
a




NAME: 80 glazing bead B
CODE: 80DYB
WEIGHT(KG/M): 0.22
LENGTH: 5.8-6.0m
PCS/BAG: 30
THICKNESS: 2.3
a

Glass Thickness: 4.5±0.5mm



NAME: 88 double glazing bead C
CODE: 88SYC
WEIGHT(KG/M): 0.15
KG/PIECE: 0.90
PCS/BAG: 30
THICKNESS: 2.3
a

















Glass Thickness: 20±0.5mm



NAME: 80 sliding sash cover
CODE: 80FG
WEIGHT(KG/M): 0.18
LENGTH: 5.8-6.0m
PCS/BAG: 30
THICKNESS: 2.3
a b


Mold function options: a large surface co-extrusion b small surface co-extrusion c large surface co-extrusion with lines d small surface co-extrusion with lines e large surface co-extrusion with lines + small surface co-extrusion f small surface co-extrusion with lines + large surface co-extrusion g double surface co-extrusion with lines h same color double-sides co-extrusion i double-color double-sides co-extrusion (The above drawing functions can be done as : embossing, slimsy lines, multi-lines, normal lines, matte. Details as the provided samples.)

Other accessories


	NAME: 30 grill CODE: 30ZST WEIGHT(KG/M): 0.15 LENGTH: 5.8-6.0m PCS/BAG: 20 THICKNESS: 1.2 b 1		NAME: 20 grill CODE: 20ZST WEIGHT(KG/M): 0.12 LENGTH: 5.8-6.0m PCS/BAG: 20 THICKNESS: 1.2 b 1		NAME: 30 grill outlay CODE: 30WZZST WEIGHT(KG/M): 0.15 LENGTH: 5.8-6.0m PCS/BAG: 30 THICKNESS: a
	NAME: 15 grill CODE: 15ZST WEIGHT(KG/M): 0.085 LENGTH: 5.8-6.0m PCS/BAG: 30 THICKNESS: b		NAME: 80-60 flat board CODE: 80Z60PB WEIGHT(KG/M): 0.25 LENGTH: 5.8-6.0m PCS/BAG: 20 THICKNESS: a		NAME: 88-60 flat board CODE: 88Z60PB WEIGHT(KG/M): 0.25 LENGTH: 5.8-6.0m PCS/BAG: 15 THICKNESS: a
	NAME: Round bead CODE: PT WEIGHT(KG/M): 0.085 LENGTH: 5.8-6.0m PCS/BAG: 50 THICKNESS: a		NAME: 60/65 bay corner adaptor CODE: 60/65TYZJ WEIGHT(KG/M): 0.7 LENGTH: 5.8-6.0m PCS/BAG: 4 THICKNESS: 2.0 a c e 1		NAME: 135 current bay corner adaptor CODE: TY135ZJ WEIGHT(KG/M): 0.65 LENGTH: 5.8-6.0m PCS/BAG: 4 THICKNESS: 1.8 a e
	NAME: 80-60 bay corner adaptor CODE: 80Z60ZJ WEIGHT(KG/M): 0.767 LENGTH: 5.8-6.0m PCS/BAG: 4 THICKNESS: 1.8 a		NAME: 88-60 bay corner adaptor CODE: 88Z60ZJ WEIGHT(KG/M): 0.87 LENGTH: 5.8-6.0m PCS/BAG: 4 THICKNESS: 1.8 a		NAME: 80/88 current bay corner adaptor CODE: 80/88TYZJ WEIGHT(KG/M): 1.05 LENGTH: 5.8-6.0m PCS/BAG: 4 THICKNESS: 2.0 c e 1
	NAME: 80/135 bay corner adaptor CODE: 80/135 ZJ WEIGHT(KG/M): 0.9 LENGTH: 5.8-6.0m PCS/BAG: 4 THICKNESS: 1.8 a		NAME: 115-68 window sill CODE: 115-68 CTB WEIGHT(KG/M): 0.917 LENGTH: 5.8-6.0m PCS/BAG: 6 THICKNESS: 1.6		NAME: 65/70 tube adaptor CODE: 65/70 PG WEIGHT(KG/M): 0.825 LENGTH: 5.8-6.0m PCS/BAG: 6 THICKNESS: 2.0 e
	NAME: 65/70 tube adaptor 2 CODE: 65/70 PG2 WEIGHT(KG/M): 1.035 LENGTH: 5.8-6.0m PCS/BAG: 4 THICKNESS: 2.5 e 1				

Mold function options: a large surface co-extrusion b small surface co-extrusion c large surface co-extrusion with lines d small surface co-extrusion with lines e large surface co-extrusion with lines + small surface co-extrusion f small surface co-extrusion with lines + large surface co-extrusion g double surface co-extrusion with lines h same color double-sides co-extrusion i double-color double-sides co-extrusion (The above drawing functions can be done as : embossing, slimsy lines, multi-lines, normal lines, matte. Details as the provided samples.)

Mold function options: a large surface co-extrusion b small surface co-extrusion c large surface co-extrusion with lines d small surface co-extrusion with lines e large surface co-extrusion with lines + small surface co-extrusion f small surface co-extrusion with lines + large surface co-extrusion g double surface co-extrusion with lines h same color double-sides co-extrusion i double-color double-sides co-extrusion (The above drawing functions can be done as : embossing, slimsy lines, multi-lines, normal lines, matte. Details as the provided samples.)



Notice: The measurements and stuctures in this album are for reference only , in order to guarantee correct values when you assemble doors and windows please use the actual product for reference.



Notice: The measurements and stuctures in this album are for reference only , in order to guarantee correct values when you assemble doors and windows please use the actual product for reference.

BAYDEE PROFILES COLOR

BAYDEE WHITE COLOR



BLUE WHITE COLOR



YELLOW WHITE COLOR




MILK WHITE COLOR

BAYDEE FULL COLOR PROFILE



BAYDEE CARAMEL COLOR QCY9007



BAYDEE BROWN QC3040




BAYDEE COFFEE QC30100




BAYDEE BLACK QC10104

BAYDEE FILM COLOR


EUROPEAN STANDARD




GOLDEN OAK
MX9.2178001-116700



BROWN OAK
PX40175007-114800



DARK OAK
MX9.2052089-116700



BLACK WALNUT
PX9.0046828-114800

BAYDEE FILM COLOR

EUROPEAN STANDARD



SOFT CHERRY
PX9.3214009-119500



IRISH OAK
PX9.3211305-114800



CLASSICAL OAK
PX2.0057006-130300



MOUNTAIN OAK
PX2.0057005-130300




WALNUT
PX9.2178007-116700



HF-O-WALNUT CUSTOMIZED
DWZ2H-DZ-W



WHITE GRAIN
PX02.20.91.000001-116801



DARK GREY METAL
F4361012



DARK GREY METAL
F4361006




LIGHT GREY METAL
F4361005



LIGHT OAK
F4363077



GLODEN OAK
F4362076



WHITE GRAIN
F4565053



DARK GREEN
CMGN7001



COFFEE
CMBR7201




DARK COFFEE GRAIN
SMBR0104

BAYDEE FILM COLOR


CHINESE STANDARD




HH-O-GOLDEN OAK
GOZ2M-W



HH-I-GOLDEN OAK
GOZ2M-N



HH-O-DARK OAK
D011H-W



HH-O-OAK ROUGH
ROO2H-W



HH-O-WALNUT
DWZ2H-W




HH-O-ANTHRACITE GREY
AG32H




HF-O-ANTHRACITE GREY PITTED
308-27-W



HF-O-ANTHRACITE GREY
302-34-W




HF-I-GOLDEN OAK
139-34-N




HF-O-GOLDEN OAK
139-34-W




HF-O-TEAK A
105-02-W




HF-I-OAK ROUGH
136-34-N




HF-O-DARK OAK B
109-34-W



HF-O-DARK OAK CUSTOMIZED
D011H-DZ-W



HF-I-RED OAK
109-02-N



HF-I-DARK OAK B
109-34-N

BAYDEE FILM COLOR

CHINESE STANDARD



HF-I-WALNUT
102-34-N



HF-O-WALNUT
102-34-W



HF-O-OAK PITTED 8028
306-09-3-W



HF-O-BROWN PITTED 8017
306-09-1-W